# **Section 1. Product and Company Identification**

**Product Name:** Flor-Sil<sup>TM</sup>(Concentrate)

Product use: Concrete chemical hardener and densifier.

Effective Date: February 20,2016 Replaces: May 7, 2014

Manufacturer Information: Diamatic

5220 Gains Street San Diego, CA 92110

Telephone number: 800-526-3440

**USA Emergency Phone Number:** 

INFOTRAC (24-hr/7 days): 1-800-535-5053

Outside the United States: Call collect 1-352-323-3500

For Medical Emergency: Call 1-800-535-5053

### Section 2. Hazard Identification



## **GHS Pictograms:**

**GHS Signal Word: WARNING** 

This product is alkaline. Avoid contact with eyes and skin. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

### POTENTIAL HEALTH EFFECTS:

### **CODE OF HAZARD STATEMENTS:**

#### Physical hazards

None.

#### **Health Hazards**

H303-may be harmful if swallowed.

H312-Harmful in contact with skin.

H319-Causes serious eye irritation.

H333-May be harmful if inhaled.

### **Environmental hazards**

None.

#### **CODE OF PRECAUTIONARY STATEMENTS:**

### General

P101-Keep out of reach of children.

P103-Read label before use.

### **Prevention statements**

P202-Do not handle until all safety precautions have been read and understood.

P262-Do not get in eyes, on skin or on clothing.

P264-Wash thoroughly after handling using this product.

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P284-Wear respiratory protection.

# **Response statements**

P312-Call a POISON CENTER or doctor/physician if you feel unwell.

P331-DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352. Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

### Storage

P403-Store in well-ventilated place.

P404-Store in a closed container.

P412-Do not expose to temperatures exceeding 60 °C (140 °F)

**ROUTES OF ENTRY:** Eve contact, skin adsorption, ingestion and inhalation.

**CARCINOGENICITY:** None know at this time.

# Section 3. Ingredients and Hazards Identification

Components						
Component	CAS#	EINECS No	% by weight	REACH Reg. #		
Lithium Silicate	12627-14-4	235-730-0	3-7	Yes		
Water	7732-18-5	231-791-2	Balance	No		

Note. REACH Reg. # is the combination of the EINECS # and CAS #. The REACH Reg. # for lithium silicate is 235730012627144.

### **Section 4. First Aid Measures**

Eye Contact: Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse.

Inhalation: Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

Ingestion: If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

# **Section 5. Fire Fighting Measures**

Flash Point: Not flammable Flammability Limits: NE Fire Fighting Media: Dry chemical, carbon dioxide, and water spray.

Special Fire Fighting Procedures: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.

## **Section 6. Accidental Release Measures**

Clean-up Procedures: Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use plastic shovel to pick up absorbent for disposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

## Section 7. Handling and Storage

Handling: Do not get into eyes. Do not taste or swallow. Wash thoroughly after handling.

Storage: Store in original labeled container. Keep in cool and dry areas. Do not exceed 60 °C (140 °F).

### **Section 8. Exposure Control/Personal Protection**

Introductory Remarks: Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits. Personal Protection:

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant gloves.

Hands: Chemical resistant gloves

Respiratory: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Other: None

## Section 9. Physical and Chemical Properties

Odor/Color	Nearly odorless & clear	Vapor Pressure	< 2.0 torr @ 68 °F (20 °C)
	liquid		
pН	11.0	Density(water=1)	1.05 @ 68°F (20 °C)
% Volatile by weight	< 90	Solubility	> 99 % in water
Evaporation	< 1.0	<b>Boiling Point</b>	212 °F (100 °C)
rate(water=1)			
Freezing point	0 °C (32 °F)		

# Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

**Hazardous Decomposition:** If complete combustion, oxides of carbon and silicates are formed.

Hazardous Polymerization: Will not occur

**Incompatibility~ Materials to Avoid:** May react with strong oxidizing agents, strong acids and metal salts.

### **Section 11. Toxicological Information**

**Acute Eye Irritation:** Irritating.

Acute Skin Irritation: Chronic exposure may be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: None

Existing Medical Conditions Aggravated by Exposure: Exposure to eyes and skin may cause irritation to pre-

existing conditions.

### **Section 12. Ecological Information**

**Ecotoxicity:** The toxicity of this product has not been determined.

**Environmental Fate:** This product should be expected to be readily biodegradable.

# **Section 13. Disposal Considerations**

**Waste Disposal Method:** What ever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations.

**Container Handling and Disposal:** All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

### **Section 14. Transport Information**

**Ground Classification:** Not regulated by US DOT

Shipping Name: Flor-Sil<sup>TM</sup>(Concentrate)

Technical Shipping Name: None

UNFIC: None
ID Number: None
Packaging Group: None
Labels: No US DOT Labels
Not regulated by IATA or IMO

# **Section 15. Regulatory Information**

EPCRA 311/312 Categories: Immediate (Acute) Health Effects: Yes

Delayed (Chronic) Health Effects: Yes
Fire Hazard: No
Sudden Release of Pressure No
Reactivity: No

European Community: irritating (Xi) substances

Control Act of 1086

Right to know classification: All ingredients are listed in PA and NJ.

TSCA: All ingredients listed or exempt from listing.

Reportable Quantity (RQ): None

Prop. 65: None

WHMIS: Xi (Irritant to the eyes and skin)

All ingredients are listed as chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI,

PICCS, SWISS, Taiwan, USA and UK

ABBREVIATIONS:

CAS#	Chemical Abstract Service Number	EINECS European Inventory of existing		
		Comme	rcial Chemical Sales	
°C Celsius	temperature scale	°F	Fahrenheit temperature scale	
Prop.	Proprietary	PE	Personal Protective Equipment	
TLV	Threshold Limit Value	TWA	Time Weighted Average	
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit	
OSHA	Occupational Safety & Health	NIOSH	National Institute of Safety & Health	
NFPA	National Fire Protection Agency	WHMIS	S Workplace Hazardous Materials Information	
		System	•	
NTP	National Toxicology Program	IARC	Int. Agency for Research on Cancer	
RCRA	Resource Conservation Recovery Act	<b>TSCA</b>	Toxic Substance Control Act	
EC50	Effective Dose	LC50	Lethal Inhalation Concentration	
LD50	Lethal Dose	CAS	Chemical Abstract Service Number	
LEL	Lower explosive limit	UEP	Upper explosive limit	
NDA	No Data Available	ND	Not determined	
NE None e	stablished	NA	Not Applicable	
< Less Th	nan or Equal To	> Greate	er Than or Equal To	
CNS	Central Nervous System	CI	China	
DSL	Canada	ECL	Korean Existing Chemicals List	
EEC	European Economic Commission	<b>ENCS</b>	Japanese Existing and New Chemical List	
EU	European Union	MAC	Netherlands	
MAK	Germany	MITI	Japan	
PICCS	Philippines	<b>SWISS</b>	Giftliste 1	
UK United		USA	United States	
VOC	Volatile organic content	ACGIH	American Conference of Government	
	_	Industria	al Hygienists	
SARA	Superfund Amendments and Reauthorization Act			
AICS	Australian Inventory of Chemical Substances			
IARC	International Agency for Research on Cancer			
Taiwan				
	0.000			

## **Section 16. Other Information**

### **Hazardous Material Information (HMIS)**

### **National Fire Protection Association (NFPA)**

Health	1	1	Health
Fire	0	0	Fire
Reactivity	0	0	Instability
Personal Protection	С		NA

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard

Fire 4 < 73 °C 3 < 100 °C 2 < 200 °C 1 > 200 °C 0 Will not burn

Reactivity/Instability 4 - May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

**Risk phrases:** R36, Irritating to eyes; R37, Irritating to respiratory system; and R38, Irritating to skin. **Safety phrases:** S2, Keep out of reach of children; S24, Avoid contact with skin; S25, Avoid contact with eyes; S37, Wear suitable gloves; and S39, Wear eye/face protection.

#### Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Diamatic's knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since Diamatic has no control over how this information may be ultimately used, all liability is expressly disclaimed and Diamatic assumes no liability.