

acc. to OSHA HCS

Printing date 02/15/2018

Reviewed on 02/15/2018

## 1 Identification

· Product identifier

- · Trade name: RetroPlate 99
- · Application of the substance / the mixture Hardening agent
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Curecrete Chemicl Company 1203 West Spring Creek Place SPRINGVILLE, UTAH 84663 USA techsupport@curecrete.com (801)489-5663

d.b.a. Advanced Floor Products P.O. Box 50533 Provo, Utah, 84605 (801)812-3420 techsuppot@retroplatesystem.com

 Information department: Technical Services
 Emergency telephone number: (800) 633-8253 (United States/Canada) International Emergency Number: +1 (801) 629-0667

## 2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

#### · Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Page 1/9

acc. to OSHA HCS

Printing date 02/15/2018

#### Trade name: RetroPlate 99

· Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling: Silicic acid, sodium salt

Hazard statements
 Harmful if swallowed.
 Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

#### · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

#### Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

## • NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

(Contd. of page 1)

Reviewed on 02/15/2018

(Contd. on page 3)

US-

acc. to OSHA HCS

Printing date 02/15/2018

Trade name: RetroPlate 99

Reviewed on 02/15/2018

(Contd. of page 2)

35-40%%

## **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

1344-09-8 Silicic acid, sodium salt

## 4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If swallowed, seek medical advice immediately and show this container or label.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:

Do not allow product to reach storm sewer system or ground water Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. zardous additions.

acc. to OSHA HCS

Printing date 02/15/2018

Trade name: RetroPlate 99

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Reviewed on 02/15/2018

(Contd. of page 3)

acc. to OSHA HCS

Printing date 02/15/2018

Trade name: RetroPlate 99

Reviewed on 02/15/2018

(Contd. of page 4)

| Physical and chemical properties<br>Information on basic physical and chemical      |  |
|---|--|
| General Information<br>Appearance:<br>Form:   | Viscous  |
| Color:<br>Odor:<br>Odor threshold:  | Light yellow<br>Odorless<br>Not determined.  |
| pH-value at 20 °C (68 °F):  | 11.3 - 11.6  |
| Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range: | Undetermined.<br>110 °C (230 °F)   |
| Flash point:  | Not applicable.  |
| Flammability (solid, gaseous):  | Not applicable.  |
| Decomposition temperature:  | Not determined.  |
| Auto igniting:  | Product is not selfigniting.   |
| Danger of explosion:  | Product does not present an explosion hazard.  |
| Explosion limits:<br>Lower:<br>Upper:   | Not determined.<br>Not determined.   |
| Vapor pressure at 20 °C (68 °F):  | 23 hPa (17.3 mm Hg)  |
| Density at 20 °C (68 °F):<br>Relative density<br>Vapor density<br>Evaporation rate  | 1.14 - 1.16 g/cm³ (9.5133-9.6802 lbs/gal)<br>Not determined.<br>Not determined.<br>Not determined. |
| Solubility in / Miscibility with<br>Water:  | Fully miscible.  |
| Partition coefficient (n-octanol/water):  | Not determined.  |
| Viscosity:<br>Dynamic:<br>Kinematic:  | Not determined.<br>Not determined.   |
| Solvent content:<br>Organic solvents:<br>Water:<br>VOC content:                     | 0.0 %<br>65.0 %<br>0 g/L   |
| Solids content:<br>Other information  | >17.5 %<br>No further relevant information available.  |

## 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

acc. to OSHA HCS

Printing date 02/15/2018

Reviewed on 02/15/2018

Trade name: RetroPlate 99

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer) None of the ingredients is listed.
- NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

May cause or intensify fire; oxidizer.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Do not allow product to reach storm water drains or ground water.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

US .

(Contd. of page 5)

acc. to OSHA HCS

Printing date 02/15/2018

#### Trade name: RetroPlate 99

14 Transport information

| <ul> <li>· UN-Number</li> <li>· DOT, ADN, IMDG, IATA</li> <li>· UN proper shipping name</li> <li>· DOT, ADN, IMDG, IATA</li> <li>· Transport hazard class(es)</li> </ul>  | not regulated  |
|---|--|
| <ul> <li>DOT, ADN, IMDG, IATA</li> <li>Class</li> <li>Packing group</li> <li>DOT, IMDG, IATA</li> <li>Environmental hazards:</li> <li>Marine pollutant:</li> <li>Special precautions for user</li> <li>Transport in bulk according to Annex II or<br/>MARPOL73/78 and the IBC Code</li> </ul> | not regulated<br>I<br>No<br>Not applicable.<br><b>f</b><br>Not applicable. |
| · UN "Model Regulation":  | not regulated  |

## 15 Regulatory information

- $^{\cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\cdot}$  Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- Chemicals known to cause cancer: None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.
- Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · Carcinogenic categories
- EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Reviewed on 02/15/2018

(Contd. of page 6)

acc. to OSHA HCS

Printing date 02/15/2018

#### Trade name: RetroPlate 99

· Hazard pictograms

(Contd. of page 7)

Reviewed on 02/15/2018



· Signal word Warning

- Hazard-determining components of labeling: Silicic acid, sodium salt
- · **Hazard statements** Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

### · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Services
- · Contact: Dave Hoyt
- · Date of preparation / last revision 02/15/2018 / -

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/15/2018

#### Trade name: RetroPlate 99

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Reviewed on 02/15/2018

(Contd. of page 8)

US —